

	Analyte	Sample Amount*	Container	Chemical Preservative	Hold Times
Organics	Volatiles	40 mL (x3)	Glass Vial	HCl	14 Days
	Volatiles - TTO	40 mL (x6)	Glass Vial	3 HCL, 3 None	72 Hours
	Semi-Volatiles (PNA/ BNA)	1 Liter	Amber	None	7 Days extract / 40 Days analyze
	Semi-Volatiles TTO	1 Liter (x5)	Amber	None	7 Days extract / 40 Days analyze
	PCBs	1 Liter	Amber	None	1 Year
	Organochloride Pesticides	1 Liter (x2)	Amber	None	7 Days extract / 40 Days analyze
	Organochloride Pesticides/PCBs	1 Liter	Amber	None	7 Days extract / 40 Days analyze
	2,4-D, 2,4,5-TP	1 Liter	Amber	None	7 Days extract / 40 Days analyze
	Organochloride Herbicides	1 Liter	Amber	None	7 Days extract / 40 Days analyze
	Diesel Range Organics	1 Liter	Amber	None	7 Days extract / 40 Days analyze
	Gasoline Range Organics	40 mL (x3)	Glass Vial	HCl	14 Days
	Ethylene Glycol	40 mL (x2)	Glass Vial	None	7 Days
	Glycols (ethylene, propylene, triethylene)	40 mL (x2)	Glass Vial	None	7 Days
	Alcohols (n-butanol, ethanol, isobutanol, isopropanol, methanol)	40 mL	Glass Vial	None	7 Days
Methane, Ethane, Ethene	40 mL (x2)	Glass Vial	HCl	14 Days	
	Analyte	Sample Amount*	Container	Chemical Preservative	Hold Times
Inorganics	Acidity	250 mL	Poly	None	14 Days
	Alkalinity	250 mL	Poly	None	14 Days
	Biochemical Oxygen Demand	500 mL	Poly	None	48 Hours
	Bromide	250 mL	Poly	None	28 Days
	Carbon, Dissolved Organic	250 mL	Poly	H2SO4	28 Days
	Carbon, Total Organic	40 mL	Amber	HCl	28 Days
	Carbonaceous Biochemical Oxygen Demand	500 mL	Poly	None	48 Hours
	Chemical Oxygen Demand	250 mL	Poly	H2SO4	28 Days
	Chromium, Hexavalent	250 mL	Poly	None	24 Hours
	Chloride	250 mL	Poly	None	28 Days
	Chlorine Demand	1 Liter (x2)	Amber	None	24 Hours
	Chlorine, Total Residual	250 mL	Poly	None	Immediately
	Cyanide, Available	40 mL	Amber	NaOH	14 Days
	Cyanide, Amenable	250 mL	Poly	NaOH	14 Days
	Cyanide, Total and/or Free	250 mL	Poly	NaOH	14 Days
	Dissolved Oxygen	500 mL	Poly	None	Immediately
	Fats, Oils & Grease	1 Liter (x2)	Amber	HCl	28 Days
	Ferrous Iron	40 mL	Amber	HCl	24 Hours
	Fluoride	250 mL	Poly	None	28 Days
	Hardness	500 mL	Amber	HNO3	6 Months
	Ignitability	1 Liter	Amber	None	7 Days
	Mercury	250 mL	Poly	HNO3	28 Days
	Mercury, Low Level	40 mL (x3)	Glass Vial	None	28 Days
	Metals, Dissolved**	500 mL	Poly	None	Immediately
	Metals, Total	250 mL	Poly	HNO3	6 Months
	Nitrogen, Ammonia	500 mL	Poly	H2SO4	28 Days
	Nitrogen, Nitrate	250 mL	Poly	None	48 Hours
	Nitrogen, Nitrite	250 mL	Poly	None	48 Hours
	Nitrogen, Total Inorganic	500 mL	Poly	H2SO4	28 Days***
	Nitrogen, Total Kjeldahl	500 mL	Poly	H2SO4	28 Days
	Nitrate Plus Nitrite	250 mL	Poly	H2SO4	28 Days
	Orthophosphate	250 mL	Poly	None	48 Hours
	Oxidation Reduction Potential	250 mL	Poly	None	24 Hours
	pH	250 mL	Poly	None	24 Hours
	Phenolics, Total	250 mL	Amber	H2SO4	28 Days
	Phosphorus, Ortho** (dissolved)	250 mL	Amber or Poly	None	48 Hours
	Phosphorus, Total	250 mL	Poly	H2SO4	28 Days
	Reactivity	1 Liter	Amber	None	7 Days
	Solids, Total	500 mL	Poly	None	7 Days
	Solids, Total Dissolved	500 mL	Poly	None	7 Days
	Solids, Total Suspended	1 Liter	Poly	None	7 Days
Solids, Total Volatile	500 mL	Poly	None	7 Days	
Solids, Volatile Suspended	500 mL (x2)	Poly	None	7 Days	
Specific Conductance	250 mL	Poly	None	28 Days	
Sulfate	250 mL	Poly	None	28 Days	
Sulfide, Total	250 mL	Poly	NaOH/Zinc Acetate	7 Days	
Surfactants	1 Liter	Amber	None	48 Hours	
Turbidity	250 mL	Poly	None	48 Hours	

\*Some analyses can be combined, contact lab with questions. TCLP projects have custom requirements, contact lab with questions.

\*\*Requires filtering.

\*\*\*If Nitrate and Nitrite needs to be separated out, please use the individual bottles and hold times associated with individual tests.

	Analyte	Sample Amount*	Container	Chemical Preservative	Hold Times
Organics	Volatiles (5035)	40 mL	Glass Vial	MeOH	14 Days
	Volatiles (5030)	4 oz / 125 g	Glass Jar	None	14 Days
	Semi-Volatiles (PNA/BNA)	4 oz / 125 g	Glass Jar	None	14 Days extract / 40 Days analyze
	PCBs	4 oz / 125 g	Glass Jar	None	1 Year
	Organochloride Pesticides	4 oz / 125 g	Glass Jar	None	14 Days extract / 40 Days analyze
	Organochloride Pesticides/PCBs	4 oz / 125 g	Glass Jar	None	14 Days extract / 40 Days analyze
	2,4-D, 2,4,5-TP	4 oz / 125 g	Glass Jar	None	14 Days extract / 40 Days analyze
	Organochloride Herbicides	4 oz / 125 g	Glass Jar	None	14 Days extract / 40 Days analyze
	Diesel Range Organics	4 oz / 125 g	Glass Jar	None	14 Days extract / 40 Days analyze
	Gasoline Range Organics (5035)	40 mL	Glass Vial	MeOH	14 Days
	Gasoline Range Organics (5030)	4 oz / 125 g	Glass Jar	None	14 Days
	Ethylene Glycol	4 oz / 125 g	Glass Jar	None	14 Days
	Glycols ( <i>ethylene, propylene, triethylene</i> )	4 oz / 125 g	Glass Jar	None	14 Days
Alcohols ( <i>n-butanol, ethanol, isobutanol, isopropanol, methanol</i> )	4 oz / 125 g	Glass Jar	None	14 Days	
	Analyte	Sample Amount*	Container	Chemical Preservative	Hold Times
Inorganics	Mercury	4 oz / 125 g	Glass Jar	None	28 Days
	Metals	4 oz / 125 g	Glass Jar	None	6 Months
	Bromide	4 oz / 125 g	Glass Jar	None	28 Days
	Carbon, Total Organic	4 oz / 125 g	Glass Jar	None	28 Days
	Chromium, Hexavalent	4 oz / 125 g	Glass Jar	None	28 Days**
	Chloride	4 oz / 125 g	Glass Jar	None	28 Days
	Corrosivity	4 oz / 125 g	Glass Jar	None	7 Days
	Cyanide, Available	4 oz / 125 g	Glass Jar	None	14 Days
	Cyanide, Amenable	4 oz / 125 g	Glass Jar	None	14 Days
	Cyanide, Total	4 oz / 125 g	Glass Jar	None	14 Days
	Fluoride	4 oz / 125 g	Glass Jar	None	28 Days
	Ignitability	4 oz / 125 g	Glass Jar	None	28 Days
	Nitrogen, Ammonia	4 oz / 125 g	Glass Jar	None	28 Days
	Nitrogen, Nitrate	4 oz / 125 g	Glass Jar	None	28 days extract / 48 Hours analyze
	Nitrogen, Nitrite	4 oz / 125 g	Glass Jar	None	28 days extract / 48 Hours analyze
	Nitrogen, Total Kjeldahl	4 oz / 125 g	Glass Jar	None	28 Days
	Oxidation Reduction Potential	4 oz / 125 g	Glass Jar	None	28 Days
	pH	4 oz / 125 g	Glass Jar	None	24 hours in lab / immediate in field
	Phosphorus (water soluble)	4 oz / 125 g	Glass Jar	None	6 Months
	Sulfate	4 oz / 125 g	Glass Jar	None	28 Days
Sulfide, Total	4 oz / 125 g	Glass Jar	None	7 Days	

\*Some analyses can be combined, contact lab with questions.

\*\*If field sample is “dry” the hold time is 24 hours, otherwise for a “moist” sample (visibly high in moisture) hold time is 28 days.

Analyte	Container	Chemical Preservative	Hold Times
TO-15 Volatiles	Summa Canister	None	30 Days
TO-15 Volatiles	Bottle Vac	None	30 Days
TO-15 Volatiles	Tedlar Bag	None	72 Hours
Methane***	Tedlar Bag	None	72 Hours
Gasoline Range Organics (GRO)	Tedlar Bag	None	72 Hours

\*\*\*30 Days hold time if collected in Summa canisters or Bottle Vacs.

Preservation Key	
HCl	Hydrochloric Acid
H <sub>2</sub> SO <sub>4</sub>	Sulfuric Acid
HNO <sub>3</sub>	Nitric Acid
MeOH	Methanol
NaOH	Sodium Hydroxide